



Previous Name: Shell Tellus STX

Shell Tellus S3 V 32

Shell Tellus S3 V –

DESIGNED TO MEET CHALLENGES

- Shell Tellus S3 V
 (5000
 ASTM D 943 TOST);
 - ()
 Shell Tellus S3 V
 - Shell Tellus S3 V
- Shell Tellus S3 V ISO 4406 21/19/16. DIN 51524
- Shell Tellus S3 V



▪

Shell Tellus S3 V

▪

Shell Tellus S3 V

ISO HV.

▪

Shell Tellus S3

V

Shell Tellus S3 V

(OECD 202, US EPA OPPTS

850.1035).

Shell Naturelle.

Shell Tellus S4 ME,

- Denison Hydraulics (HF-0, HF-1 HF-2)
- Eaton Vickers (Brochure 694)
- Cincinnati Machine (P-68, P-70 P-69)
- Bosch Rexroth (
- 01/09.09)
- ISO 11158 (HV)
- DIN 51524-3 (HVLP)
- ASTM 6158 (HV)
- SS 15 54 34 AV (ISO VG 46 68)
- SS 15 54 34 AM (ISO VG 32).

RE 90220-

Technical Helpdesk

Shell

Shell Tellus S3 V

(

▪

Shell Tellus S3 V

Properties	Method	Shell Tellus S3 V
ISO	ISO 3448	32
ISO	ISO 6743-4	HV
@-20°C	ASTM D 445	1000
@40°C	ASTM D 445	32
@100°C	ASTM D 445	6.5
	ISO 2909	160
@15°C / 3	ISO 12185	862
°C	ISO 2592 (COC)	200
°C	ISO 3016	-39

Shell

- <http://www.epc.shell.com/>

▪

▪

« ».

Viscosity - Temperature Diagram for Shell Tellus S3 V

