



■

Shell Tellus S3 V

■

. Shell Tellus S3 V

ISO HV.

■

Shell Tellus S3 V

Shell Tellus S3 V

(OECD 202, US EPA OPPTS 850.1035).

Shell Naturelle.

Shell Tellus S4 ME,

■ Denison Hydraulics (HF-0, HF-1 HF-2)

■ Eaton Vickers (Brochure 694)

■ Cincinnati Machine (P-68, P-70 P-69).

■ Bosch Rexroth (01/09.09).

RE 90220-

■ ISO 11158 (HV)

■ DIN 51524-3 (HVLP)

■ ASTM 6158 (HV)

■ SS 15 54 34 AV (ISO VG 46 68)

■ SS 15 54 34 AM (ISO VG 32).

Shell Technical

Helpdesk

■

Shell Tellus S3 V

).

■

Shell Tellus S3 V

| Properties | Method | Shell Tellus S3 V |
|------------|----------------|-------------------|
| ISO | ISO 3448 | 46 |
| ISO | ISO 6743-4 | HV |
| @-20°C | ASTM D 445 | 2200 |
| @40°C | ASTM D 445 | 46 |
| @100°C | ASTM D 445 | 8.4 |
| | ISO 2909 | 160 |
| @15°C / 3 | ISO 12185 | 887 |
| °C | ISO 2592 (COC) | 210 |
| °C | ISO 3016 | -42 |

Shell

■

<http://www.epc.shell.com/>

■

■

« ».

Viscosity - Temperature Diagram for Shell Tellus S3 V

